

application:

LISTING OF THE CLAIMS

1. (Currently Amended) A method for a mobile device to receive and render an incoming fax message, the method including the steps:
 - a) receiving an incoming fax message from a calling party said incoming fax message is being adapted to be stored on a wireless network in a fax message database, said incoming fax message is being treated as a ~~short messaging system~~ messagedata call and stored in said mobile device;
 - b) activating a user cue to notify a user associated with the mobile device the incoming fax message was received, said user cue is being a short messaging system message;
 - c) in response to user interaction with the mobile device, displaying information about the incoming fax message on a graphical user interface; and
 - d) in response to user interaction with the mobile device, communicating the incoming fax message to an external rendering device via an output port including an infrared frequency interface.
2. Canceled
3. Canceled
4. Canceled
5. (Original) The method set forth in claim 1, further including the step: e) storing the incoming fax message in a storage device within the mobile device.
6. Canceled

7. (Original) The method set forth in claim 1, between steps b) and c), further including the step: e) displaying a listing of incoming fax messages for selection by the user.

8. (Original) The method set forth in claim 1, further including the step: e) connecting the external rendering device to the output port; f) rendering the incoming fax message on the external rendering device.

9. (Original) The method set forth in claim 8 wherein the external rendering device includes at least one of a printing device, a fax reader, and a display device.

10. (Previously Amended) The method set forth in claim 8 wherein the connecting in step e) is accomplished by moving the mobile device and the external rendering device within a range of each other which enables communication.

11. (Currently Amended) A method for a mobile device to send an outgoing fax message, the method including the steps:

a) storing one or more fax contents in a first storage device, said first storage device is being a fax message database stored within the mobile device;

b) in response to user interaction with the mobile device, generating an outgoing fax message including at least one selected fax content from the one or more fax contents stored in the first storage device and initiating an outgoing call via a wireless network associated with the mobile device to a recipient of the outgoing fax message; and

c) after the recipient answers the call, while maintaining the call, sending the outgoing fax message to the recipient.

12. (Original) The method set forth in claim 11, before step a), further including the steps:

d) connecting an external device to an input port on the mobile device; and

e) uploading a data file from a second storage device associated with the external device to the first storage device associated with the mobile device.

13. (Original) The method set forth in claim 12 wherein the external device includes a scanning device and the method further includes the step:

f) scanning a document to be included in the outgoing fax message to create the data file; and

g) storing the data file in the second storage device.

14. (Previously Amended) The method set forth in claim 12 wherein the connecting in step d) is accomplished by moving the mobile device or the external device within a range of each other which enables communication.

15. (Original) The method set forth in claim 12 wherein the connecting in step d) is accomplished by connecting a cable between the mobile device and the external device.

16. (Currently Amended) A mobile device for receiving and rendering an incoming fax message via a wireless network and for sending an outgoing fax

message via the wireless network, the mobile device including:

- a means for receiving an incoming fax message from a calling party via the wireless network;

- a database configured to store said incoming fax messages, said incoming fax messages are being treated as a short messaging system messages data call;

- a controller in communication with the receiving means to control the mobile device;

- a user cue in communication with the controller to notify a user via messaging associated with the mobile device that the incoming fax message was received;

- a keypad in communication with the controller to acknowledge receipt of the incoming fax message;

- a means for activating and de-activating the user cue in response to operation of the receiving means and keypad;

- a graphical user interface in communication with the controller to display information about the incoming fax message; and

- an output port in communication with the receiving means and controller for communicating the incoming fax message to an external rendering device via the output port including an infrared frequency interface.

17. (Original) The mobile device set forth in claim 16, further including: means for storing one or more fax contents in a first storage device associated with the mobile device.

18. (Original) The mobile device set forth in claim 16, further including: means for storing the incoming fax message in a storage device within the mobile device.

19. (Original) The mobile device set forth in claim 16, further including:

- means for storing one or more data files in a first storage device associated with the mobile device;
- means for generating an outgoing fax message including at least one selected data file from the one or more stored data files stored in the first storage device;
- means for initiating an outgoing call via the wireless network to a recipient of the outgoing fax message; and means for sending the outgoing fax message to the recipient.

20. (Previously Amended) The mobile device set forth in claim 16, further including:

- an input port in communication with the storing means and the controller for uploading the one or more data files from an external device; and
- means for uploading the one or more data files from the external device to the storing means via the input port.